


Reliable special designed instrument



Reliable special meter display the whole truck's working condition, fault detect and other important information completely which make the operator master the whole truck condition directly and conveniently.

Standard configuration

Fork	Filter core of transmission oil
Water temperature gauge	Backward buzzer
Traction pin	Transmission oil gauge
Backrest	Filter of hydraulic oil circuit
Overhead guard	Safety switch for neutral gear
Electric horn	Rain proof for overhead guard
Reversing light	Air intaking device
Hour meter	Durable tyre with pattern
Fuel gauge	Cable type parking brake
Charging indicator	Hydraulic oil gauge
Operator's tool kit	Preheating indicator
Oil pressure alarm	Full hydraulic powered steering
Steering indicator	Flow regulator for lifting oil circuit
Wide view mast	Levers for lifting and tilting
Standard seat	Cyclone air cleaner
Front lamp	Adjustable tilting steering column
Rear combined light	Engine automatic preheating system
Shaped pedal pad	Electric flameout
Control valve (two throws)	Engine fault indicator

Optional

cab
Speedometer
Fire extinguisher bracket
Solid tyre
Rear working light
Auxiliary pipe
Suspension seat
Custom paint
Temperature gauge of transmission oil Heater
High installed exhaust
Sleeve of tilting cylinder
Full LED light
Electric-hydraulic level

Available attachment

Carpet boom
Lifting hook
Side shifter
Paper roll clamp
Rotating fork
Cargo boom
Lengthen fork
Multi-function drum clamp
Rotating clamp
Widen fork carrier
Lengthen fork extension
Load stabilizer
Push-pull
Tilting fork/bucket
Wide view two stage free lift mast
Wide view three stage free lift mast

ANHUI HELI CO., LTD.
 ADD:NO.668 Fangxing Street,Economical Development Zone,Hefei,P.R.China
 TEL: (86 551) 63639458
 FAX: (86 551) 63639966
 WEBSITE: http://www.chlforklift.com
 EMAIL: chl@chlforklift.com

AUTHORIZED DEALER

Catalog No.20201110 Forklift Print

* Details of specifications and equipment are based on information available at the time of printing and may change without notice.

2-3.5t
K2C series Internal Combustion Counterbalanced Forklift Truck



K2C series | RELIABLE ECONOMICAL
 COMFORTABLE HIGH EFFICIENT

2-3.5t K2C series Internal Combustion Counterbalanced Forklift Truck

K2C series | RELIABLE ECONOMICAL
 COMFORTABLE HIGH EFFICIENT



Reliability 40% improved

- > Casted steering axle.
- > Improved mast strength and rigidity.
- > Reduced front overhang improves truck stability.
- > The sealing performance of drive axle is improved.
- > Enhanced design of rim.
- > The strength and rigidity of overhead guard are improved.
- > The protection level of electric system is improved and the electrical parts adopts modular design.
- > The sealing performance of hydraulic pipeline is improved.
- > The cooling performance of the truck is improved.
- > The loading capacity of mast and frame is improved and the safety performance is improved.

The operation efficiency is 20% improved

- > The lifting speed for 3.5t truck is largely improved.
- > Comparing with the other competing products, the steering radius is the smallest.
- > The lights switch is integrated on steering knob and it is convenient for operation.

Operation comfort is 20% improved

- > The diameter of steering wheel is reduced to reduce arm fatigue.
- > The space for pedal is enlarged.
- > Widen seat is more comfortable.
- > Backlight design of meter is easy to read and for electric controlled engine, fault code shown on the meter is the standard configuration.
- > The horizontal view of mast is improved.
- > Lowering buffering is configured.
- > Head space is enlarged.



The performance of easy maintenance is further improved

- > The drive axle is improved to reduce maintenance frequency.
- > Fault code is displayed on the meter to improve truck maintenance efficiency.
- > The opening angle of engine hood reaches to 80°facilitating the access to maintenance.
- > The contact space between engine and transmission box is enlarged and it is easy for engine oil filter maintenance.
- > The electric box with single wire and 42 core is easy for maintenance.
- > The 24° conical sealing is adopted on hydraulic pipeline and it is easy for assembly and disassembly.

Better performance in energy saving and consumption reducing

- > The oil consumption is reduced.
- > The pressure loss is reduced.
- > LED signal lights are standard.

Reliable casting steering axle

- > Compact structure, small deformation when loading.
- > Shock absorber installed improving driving comfort.
- > Dust proof and water proof structure increasing service life and reliability effectively.
- > Low maintenance cost in later stage.

